



The complete display solution

Unit 16-18 | 12 Airfield Road | Christchurch | Dorset | BH23 3TG

Tel: 01202 480104 | Web: www.displaysuk.co.uk | Email: studio@displaysuk.co.uk

Creating artwork

1. Please provide the artwork as a high resolution PDF where possible.
TIFF / EPS / JPEG files are also accepted.
2. If supplying InDesign files please provide all linked images and fonts for the document.
3. Please ensure that the artwork is set to the correct size of the following:
Full size / half size / quarter size.
4. Add 3mm bleed and trim marks to your print ready artwork.
5. Where possible convert all fonts to paths when sending a PDF.
6. Please supply all links as 300dpi at 25% final size (100dpi full size)
7. For large files please use the Wettransfer link that can be found on our website.
Please include your job reference number.



Formulate

Monolith Display 1200 (FMSS-VSS-03)

Total area including bleed:
1300 (w) x 2360 (h) mm

Finished size:
1220 (w) x 2285 (h) mm

Visible area:
1210 (w) x 2275 (h) mm

Please keep all text, logos and critical design elements to the inside of the safe area indicated by the green keyline.

NOTE: THE BOTTOM SHOULD BE LEFT OPEN

Normally supplied printed front side only. A printed reverse is available as an optional extra.

Please note this template is created for our own fabric characteristics and may need to be adjusted to suit other fabrics.

General guidelines

- CMYK
- Convert Pantone colours to CMYK.
- Do not supply RGB images.
- Do not embed images, supply them.
- Resolution must be 300 dpi at 25% of output size.
- All fonts must be converted to outlines.
- Please supply artwork as PDF or Illustrator EPS files.

This template

- Is supplied at 25% of finished size.
- Includes bleed (as shown by the red keyline).
- Overall template size:
325 (w) x 590 (h) mm

Front

Reverse